

Peculiarities of calculating the longitudinal mixing of adsorbent in a fixed layer with account of surface friction

Karataev O., Karataeva E.

Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

Abstract

© Published under licence by IOP Publishing Ltd. The paper presents a theoretical one-dimensional model of the dynamics of adsorption in a fixed layer, taking into account the first-order chemical reaction. The general case is considered when the resistance to mass transfer is concentrated both in the external and internal phases.

<http://dx.doi.org/10.1088/1757-899X/412/1/012031>

References

- [1] Karataev O R and Ananikov S V 2013 Dynamics of adsorption taking into account the chemical reaction during cleaning of swimming pool drains Herald of Kazan Technological University 14 (Kazan: Kazan Technological University Press) 59-65
- [2] Doetsch G 1958 Guide to practical application of Laplace transform (Moscow: GIFML) 208
- [3] Panteleev A V and Yakimova A S 2001 Theory of functions of complex variable and operational calculus in examples and problems (Moscow: High school) 445
- [4] Dwight T B 1964 Tables of integrals and other mathematical formulas (Moscow: Science) 228
- [5] Rubtsov V E 2004 Modeling of deformation and thermal processes in surface layer of elastoplastic material in friction: Candidate of physical and mathematical sciences Diss (Tomsk) 145